



**PUNJAB POLLUTION CONTROL BOARD**  
Zonal Office-II, Vatavaran Bhawan, Nabha Road, Patiala - 147001.

Website:- [www.ppcb.gov.in](http://www.ppcb.gov.in)



Office Dispatch No :  
OCMMS/CTO(Water)/2025/010983

Registered/Speed Post

Date:

Industry Registration ID:

R12FGS29601

Application No :

29740749

To,

Sanjeev Sood  
Shastri Nagar, Mandi Gobindgarh  
Mandigobindgarh,Fatehgarhsahib-147301

Subject: Renewal of consent no. CTOW/Renewal/FGS/2023/20352045 dated 09.03.2025 granted under the provisions of the Water (Prevention and Control of Pollution) Act, 1974.

**1. Particulars of Consent to Operate under Water Act, 1974 granted to the industry**

Consent to Operate Certificate No.	CTOW/Renewal/FGS/2025/29740749
Date of issue :	06/10/2025
Date of expiry :	30/09/2026
Certificate Type :	Renewal
Previous CTO No. & Validity :	CTOW/Renewal/FGS/2023/20352045 From:09/03/2025 To:30/09/2025

**2. Particulars of the Industry**

Name & Designation of the Applicant	Sanjeev Sood, (Managing Director)
Address of Industrial premises	Bhawani Industries Pvt. Ltd., Vill Ajnali, Near Focal Point, Mandi Gobindgarh, Amloh,Fatehgarh Sahib-147301
Capital Investment of the Industry	15671.7 lakhs
Category of Industry	Orange
Type of Industry	104.2 Induction furnace/arc furnace
Scale of the Industry	Large
Office District	Fatehgarh Sahib

"This is computer generated document from OCMMS by PPCB"

Bhawani Industries Pvt. Ltd.,Vill Ajnali, Near Focal Point, Mandi Gobindgarh,Amloh,Fatehgarh Sahib,147301

Page1

This is with reference to the request made by the industry for renewal of consent granted by the Board under the Water Prevention & Control of Pollution) Act, 1974.

The renewal of consent to operate granted to the industry vide no. CTOW/Renewal/FGS/2023/20352045 dated 09.03.2025 valid upto 30.09.2025 is hereby further renewed upto 30/09/2026 with the same conditions as mentioned therein and following specific conditions:

1. The industry shall operate & maintain its STP regularly and efficiently, so as to achieve the prescribed effluent standards on regular basis and maintain the record of operation of the STP.
2. The industry shall comply with the guidelines/SOPs provided by PSCST, Chandigarh for the effective operation of APCD.
3. The industry shall be bound to install adequate and appropriate pollution control device/system as per the design of reputed institute, for control of secondary emission generated from the furnace unit upto 31.03.2026.

All other contents shall remain unchanged. This letter shall remain appended with the consent issued vide no. CTOW/Renewal/FGS/2018/7303552 dated 18/04/2018 and its subsequent extensions issued from time to time to the industry under the Water (Prevention & Control of Pollution) Act, 1974.



06/10/2025

**(Kamal Singla)  
Environmental Engineer**

*For & on behalf  
of*

**(Punjab Pollution Control Board)**

**Endst. No.:**

**Dated:**

A copy of the above is forwarded to the following for information and necessary action please:

The Environmental Engineer, Punjab Pollution Control Board, Regional Office, Fatehgarh Sahib. He is requested to ensure the compliance of the consent conditions as well as to process the case through e-noting for further action, in case the analysis results of sampling carried out from STP on 19.09.2025 are found beyond the permissible limits prescribed by Board and submit the report accordingly.



06/10/2025

**(Kamal Singla)  
Environmental Engineer**

*For & on behalf*

